



Price Schedule

April 1, 2009

Switching Power Supplies		Catalog Page	List Price
SP-3	12VDC/3 Amp or 24VDC/1.5 Amp Power/Supply Charger Module, 85-260vac	1	120.00
SP-3ES	SP-3, 8" x 9" x 3.5" Enclosure	1	168.00
SP-3E	SP-3, 14" x 9" x 3.5" Enclosure	1	188.00
SP-3ED4	SP-3, w/ PDM-4 (fuses) Distribution Module, 14" x 9" x 3.5" Enclosure	1	218.00
SP-3EC4	SP-3, w/ PDM-4 (circuit breakers) Distribution Module, 14" x 9" x 3.5" Enclosure	1	223.00
SP-3ED8	SP-3, w/ PDM-8 (fuses) Distribution Module, 14" x 9" x 3.5" Enclosure	1	227.00
SP-3EC8	SP-3, w/ PDM-8 (circuit breakers) Distribution Module, 14" x 9" x 3.5" Enclosure	1	239.00
SPS-3	12VDC/3 Amp or 24VDC/1.5 Amp Supervised (AC Fail) Power/Supply Charger Module, 90-250vac, Class II, UL294, UL603 and ULCS318-96 Listed	1	129.00
SPS-3ES	SPS-3, 8" x 9" x 3.5" Enclosure, UL294, UL603 and ULCS318-96 Listed	1	206.00
SPS-3E	SPS-3, 14" x 9" x 3.5" Enclosure, UL294, UL603 and ULCS318-96 Listed	1	226.00
SPS-3ED4	SPS-3, w/ PDM-4 (fuses) Distribution Module, 14" x 9" x 3.5" Enclosure, UL294, UL603 and ULCS318-96 Listed	1	257.00
SPS-3EC4	SPS-3, w/ PDM-4 (circuit breakers) Distribution Module, 14" x 9" x 3.5" Enclosure, UL294, UL603 and ULCS318-96 Listed	1	261.00
SPS-3ED8	SPS-3, w/ PDM-8 (fuses) Distribution Module, 14" x 9" x 3.5" Enclosure, UL294, UL603 and ULCS318-96 Listed	1	280.00
SPS-3EC8	SPS-3, w/ PDM-8 (circuit breakers) Distribution Module, 14" x 9" x 3.5" Enclosure, UL294, UL603 and ULCS318-96 Listed	1	284.00
SPS-3EACI	SPS-3, w/ PDD-8ACI (fuses) Distribution/Control Module, 14" x 9" x 3.5" Enclosure	1	420.00
SPS-3EACIC	SPS-3, w/ PDD-8ACIC (circuit breakers) Distribution/Control Module, 14" x 9" x 3.5" Enclosure	1	420.00
SPS-3EPCI	SPS-3, w/ PDD-8PCI Distribution/Control Module, 14" x 9" x 3.5" Enclosure, UL294, UL603 and ULCS318-96 Listed	1	333.00
SPS-3EFT	SPS-3, w/ PDD-FT DC Fire Transfer Relay Module, 14" x 9" x 3.5" Enclosure, UL294, UL603 and ULCS318-96 Listed	1	270.00
SP-6B	12VDC/6 Amp or 24VDC/3 Amp Power Supply/Charger Module, 120vac/240vac	3	141.00
SP-6E	SP-6, 14" x 9" x 3.5" Enclosure	3	209.00
SP-6ED4	SP-6E, w/ PDM-4 (fuses) Distribution Module, 14" x 9" x 3.5" Enclosure	3	246.00
SP-6EC4	SP-6E, w/ PDM-4C (circuit breakers) Distribution Module, 14" x 9" x 3.5" Enclosure	3	248.00
SP-6ED8	SP-6E, w/ PDM-8 (fuses) Distribution Module, 14" x 9" x 3.5" Enclosure	3	250.00
SP-6EC8	SP-6E, w/ PDM-8C (circuit breakers) Distribution Module, 14" x 9" x 3.5" Enclosure	3	263.00
SPS-6B	12VDC/6 Amp or 24VDC/3 Amp Supervised (AC & Battery) Power Supply/Charger Module, 120vac/240vac, UL294 & UL603 Listed	3	197.00
SPS-6E	SPS-6B, 14" x 9" x 3.5" Enclosure	3	263.00
SPS-6ED4	SPS-6E, w/ PDM-4 (fuses) Distribution Module, 14" x 9" x 3.5" Enclosure	3	299.00
SPS-6EC4	SPS-6E, w/ PDM-4C (circuit breakers) Distribution Module, 14" x 9" x 3.5" Enclosure	3	301.00
SPS-6ED8	SPS-6E, w/ PDM-8 (fuses) Distribution Module, 14" x 9" x 3.5" Enclosure	3	303.00
SPS-6EC8	SPS-6E, w/ PDM-8C (circuit breakers) Distribution Module, 14" x 9" x 3.5" Enclosure	3	317.00
SPS-6EUL	SPS-6B, 14" x 9" x 3.5" Enclosure w/tamper switch and status LED, Class II, UL294 & UL603 Listed	3	281.00
SPS-6ED4UL	SPS-6E, w/ PDM-4 (fuses) Distribution Module, 14" x 9" x 3.5" Enclosure w/tamper switch and status LED, Class II, UL294 & UL603 Listed	3	318.00
SPS-6EC4UL	SPS-6E, w/ PDM-4 (circuit breakers) Distribution Module, 14" x 9" x 3.5" Enclosure w/tamper switch and status LED, Class II, UL294 & UL603 Listed	3	320.00
SPS-6ED8UL	SPS-6E, w/ PDM-8 (fuses) Distribution Module, 14" x 9" x 3.5" Enclosure w/tamper switch and status LED, Class II, UL294 & UL603 Listed	3	322.00
SPS-6EC8UL	SPS-6E, w/ PDM-8 (circuit breakers) Distribution Module, 14" x 9" x 3.5" Enclosure w/tamper switch and status LED, Class II, UL294 & UL603 Listed	3	335.00
SPS-20	12VDC/20 Amp, 24VDC/10 Amp, or Both 12 & 24 VDC Outputs at the same time, Power Supply/Charger Module, 120vac or 240vac, UL1076 Recognized Component	5	364.00
SPS-20EL	SPS-20, 14" x 14" x 4.75" Enclosure	5	468.00
SPS-20ELD8	SPS-20EL, w/ PDM-8 (fuses) Distribution Module, 14" x 14" x 4.75" Enclosure	5	507.00
SPS-20ELC8	SPS-20EL, w/ PDM-8C (circuit breakers) Distribution Module, 14" x 14" x 4.75" Enclosure	5	519.00
SPS-20ELD16	SPS-20EL, w/ 2 PDM-8 (fuses) Distribution Modules, 14" x 14" x 4.75" Enclosure	5	546.00
SPS-20ELC16	SPS-20EL, w/ 2 PDM-8C (circuit breakers) Distribution Modules, 14" x 14" x 4.75" Enclosure	5	570.00
SPS-5	24VDC/5 Amp Supervised (AC & Battery) Clean Power Supply/Charger Module, 85-264vac, UL1076 Recognized Component	7	223.00



Price Schedule

April 1, 2009

SPS-5F	24VDC/5 Amp Supervised (AC & Battery) Clean Power Supply/Charger Module, 85-264vac, Integrated Fan for High Heat Environments	7	283.00
SPS-5CE	24VDC/5 Amp Supervised (AC & Battery) Clean Power Supply/Charger Module, 85-264vac, UL1076 Recognized Component, CE (European Market)	7	234.00
Switching Power Supplies - Continued		Catalog Page	List Price
SPS-5EL	SPS-5, w/Smart Fan, 14" x 14" x 4.75" Enclosure, UL294 & UL603 Listed	7	345.00
SPS-5ELC8	SPS-5, w/Smart Fan and PDM-8C (circuit breakers) Distribution Module, 14" x 14" x 4.75" Enclosure, UL294 & UL603 Listed	7	396.00
SPS-5ELC16	SPS-5, w/Smart Fan and 2 PDM-8C (circuit breakers) Distribution Modules, 14" x 14" x 4.75" Enclosure, UL294 & UL603 Listed	7	446.00
SPS-5ELPCI8	SPS-5, w/Smart Fan and PDD-8PCI Supervised Distribution Module, 14" x 14" x 4.75" Enclosure, UL294 & UL603 Listed	7, 33	449.00
SPS-5ELACI8	SPS-5, w/Smart Fan and PDD-8ACI Supervised Distribution Module (Fuses), 14" x 14" x 4.75" Enclosure, UL294 & UL603 Listed	7, 31	537.00
SPS-5ELACI8C	SPS-5, w/Smart Fan and PDD-8ACI Supervised Distribution Module (Circuit Breakers), 14" x 14" x 4.75" Enclosure, UL294 & UL603 Listed	7, 31	537.00
SPS-5ELACI16	SPS-5, w/Smart Fan and 2 PDD-8ACI Supervised Distribution Modules (Fuses), 14" x 14" x 4.75" Enclosure, UL294 & UL603 Listed	7, 31	714.00
SPS-5ELACI16C	SPS-5, w/Smart Fan and 2 PDD-8ACI Supervised Distribution Modules (Circuit Breakers), 14" x 14" x 4.75" Enclosure, UL294 & UL603 Listed	7, 31	714.00
SPS-10	12VDC/10 Amp Supervised (AC & Battery) Clean Power Supply/Charger Module, 85-264vac, UL1076 Recognized Component	7	223.00
SPS-10F	24VDC/10 Amp Supervised (AC & Battery) Clean Power Supply/Charger Module, 85-264vac, Integrated Fan for High Heat Environments	7	283.00
SPS-10CE	12VDC/10 Amp Supervised (AC & Battery) Clean Power Supply/Charger Module, 85-264vac, UL1076 Recognized Component, CE (European Market)	7	234.00
SPS-10EL	SPS-10, w/Smart Fan, 14" x 14" x 4.75" Enclosure, UL294 & UL603 Listed	7	345.00
SPS-10ELC8	SPS-10, w/Smart Fan and PDM-8C (circuit breakers) Distribution Module, 14" x 14" x 4.75" Enclosure, UL294 & UL603 Listed	7	396.00
SPS-10ELC16	SPS-10, w/Smart Fan and 2 PDM-8C (circuit breakers) Distribution Modules, 14" x 14" x 4.75" Enclosure, UL294 & UL603 Listed	7	446.00
SPS-10ELACI8	SPS-10, w/Smart Fan and PDD-8ACI Supervised Distribution Module (Fuses), 14" x 14" x 4.75" Enclosure, UL294 & UL603 Listed	7, 31	539.00
SPS-10ELACI8C	SPS-10, w/Smart Fan and PDD-8ACI Supervised Distribution Module (Circuit Breakers), 14" x 14" x 4.75" Enclosure, UL294 & UL603 Listed	7, 31	539.00
SPS-10ELACI16	SPS-10, w/Smart Fan and 2 PDD-8ACI Supervised Distribution Modules (Fuses), 14" x 14" x 4.75" Enclosure, UL294 & UL603 Listed	7, 31	731.00
SPS-10ELACI16C	SPS-10, w/Smart Fan and 2 PDD-8ACI Supervised Distribution Modules (Circuit Breakers), 14" x 14" x 4.75" Enclosure, UL294 & UL603 Listed	7, 31	731.00
SPS-2M2	24VDC/2Amp Supervised (AC & Battery) Power Supply/Charger Module, 85-264vac, 2 Power Limited Outputs, UL Recognized Component	9	206.00
SPS-2M2E	SPS-2M2, 14" x 9" x 3.5" Enclosure, UL294, UL603 & UL1481 Listed	9	273.00
SPS-3.3	24VDC/3.3Amp Supervised (AC & Battery) Power Supply/Charger Module, 85-264vac, UL Recognized Component	11	212.00
SPS-3.3F	24VDC/3.3Amp Supervised (AC & Battery) Power Supply/Charger Module, 85-264vac, Integrated Fan for High Heat Environments	11	272.00
SPS-3.3E	SPS-3.3, 14" x 9" x 3.5" Enclosure, UL294, UL603 & UL1481 Listed	11	278.00
SPS-3.3EC8	SPS-3.3, w/ PDM-8C (circuit breakers) Distribution Module, 14" x 9" x 3.5" Enclosure, UL294, UL603 & UL1481 Listed	11	329.00
SPS-3.3EPCI8	SPS-3.3, w/ PDD-8PCI Supervised Distribution Module, 14" x 9" x 3.5" Enclosure, UL Listed	11, 33	383.00
SPS-3.3EACI8	SPS-3.3, w/ PDD-8ACI Supervised Distribution Module (Fuses), 14" x 9" x 3.5" Enclosure, UL Listed	11, 31	472.00
SPS-3.3EACI8C	SPS-3.3, w/ PDD-8ACI Supervised Distribution Module (Circuit Breakers), 14" x 9" x 3.5" Enclosure, UL Listed	11, 31	472.00
SPS-3.3M4	24VDC/3.3Amp Supervised (AC & Battery) Power Supply/Charger Module, 85-264vac, 4 Outputs (3 Class II Power Limited), UL Recognized Component	13	243.00
SPS-3.3M4F	24VDC/3.3Amp Supervised (AC & Battery) Power Supply/Charger Module, 85-264vac, 4 Outputs (3 Class II Power Limited), Integrated Fan for High Heat Environments	13	303.00
SPS-3.3M4E	SPS-3.3M4, 14" x 9" x 3.5" Enclosure, UL294, UL603 & UL1481 Listed	13	309.00
SPS-3.6M2	12VDC/3.6Amp Supervised (AC & Battery) Power Supply/Charger Module, 85-264vac 2 Power Limited Outputs, UL Recognized Component	9	206.00



Price Schedule

April 1, 2009

SPS-3.6M2E	SPS-3.6M2, 14" x 9" 3.5" Enclosure, UL294, UL603 & UL1481 Listed	9	273.00
SPS-6.5	12VDC/6.5Amp Supervised (AC & Battery) Power Supply/Charger Module, 85-264vac, UL Recognized Component	11	212.00
SPS-6.5F	12VDC/6.5Amp Supervised (AC & Battery) Power Supply/Charger Module, 85-264vac, Integrated Fan for High Heat Environments	11	272.00
Switching Power Supplies - Continued		Catalog Page	List Price
SPS-6.5E	SPS-6.5, 14" x 9" x 3.5" Enclosure, UL294, UL603 & UL1481 Listed	11	278.00
SPS-6.5EC8	SPS-6.5, w/ PDM-8C (circuit breakers) Distribution Module, 14" x 9" x 3.5" Enclosure, UL294, UL603 & UL1481 Listed	11	329.00
SPS-6.5E8PCI	SPS-6.5, w/ PDD-8PCI Supervised Distribution Module, 14" x 9" x 3.5" Enclosure	11, 33	383.00
SPS-6.5EACI8	SPS-6.5, w/ PDD-8ACI Supervised Distribution Module (Fuses), 14" x 9" x 3.5" Enclosure, UL Listed	11, 31	472.00
SPS-6.5EACI8C	SPS-6.5, w/ PDD-8ACI Supervised Distribution Module (Circuit Breakers), 14" x 9" x 3.5" Enclosure, UL Listed	11, 31	472.00
SPS-6.5M4	12VDC/6.5Amp Supervised (AC & Battery) Power Supply/Charger Module, 85-264vac 4 Power Limited Outputs, UL Recognized Component	13	243.00
SPS-6.5M4F	12VDC/6.5Amp Supervised (AC & Battery) Power Supply/Charger Module, 85-264vac 4 Power Limited Outputs, Integrated Fan for High Heat Environments	13	303.00
SPS-6.5M4E	SPS-6.5M4, 14" x 9" x 3.5" Enclosure, UL294, UL603 & UL1481 Listed	13	309.00
SPS-6F-277	24VDC/6 Amp Supervised (AC & Battery) Clean Power Supply/Charger Module, 85-285vac Input	15	323.00
SPS-12F-277	12VDC/12 Amp Supervised (AC & Battery) Clean Power Supply/Charger Module, 85-285vac Input	15	323.00

Linear Power Supplies			
LP-1	6VDC, 12VDC, or 24VDC/1 Amp Power Supply/Battery Charger Module	17	25.00
LP-1T12	LP-1 (12VDC), w/16V 50VA UL Listed Class II Plug-in Transformer	17	46.00
LP-1T24	LP-1 (24VDC), w/24V 50VA UL Listed Class II Plug-in Transformer	17	62.00
LP-1EST12	LP-1, w/ 16V 50VA UL Listed Class II Plug-in Transformer, 8" x 9" x 3.5" Enclosure	17	94.00
LP-1EST24	LP-1, w/ 24V 50VA UL Listed Class II Plug-in Transformer, 8" x 9" x 3.5" Enclosure	17	110.00
LP-2	12VDC or 24VDC/2 Amp Power Supply/Battery Charger Module	19	48.00
LP-2T12	LP-2 (12VDC), w/ 16V 50VA UL Listed Class II Plug-in Transformer	19	71.00
LP-2T24	LP-2 (24VDC), w/ 24V 50VA UL Listed Class II Plug-in Transformer	19	82.00
LP-2EST12	LP-2, w/ 16V 50VA UL Listed Class II Plug-in Transformer, 8" x 9" x 3.5" Enclosure	19	120.00
LP-2EST24	LP-2, w/ 24V 50VA UL Listed Class II Plug-in Transformer, 8" x 9" x 3.5" Enclosure	19	130.00
LP-2ET12	LP-2, w/ 16V 50VA UL Listed Class II Plug-in Transformer, 14" x 9" x 3.5" Enclosure	19	140.00
LP-2ET24	LP-2, w/ 24V 50VA UL Listed Class II Plug-in Transformer, 14" x 9" x 3.5" Enclosure	19	149.00
LP-2ET12D4	LP-2ET12, w/ PDM-4 (fuses) Distribution Module, 14" x 9" x 3.5" Enclosure	19	156.00
LP-2ET24D4	LP-2ET24, w/ PDM-4 (fuses) Distribution Module, 14" x 9" x 3.5" Enclosure	19	181.00
LP-2ET12D8	LP-2ET12, w/ PDM-8 (fuses) Distribution Module, 14" x 9" x 3.5" Enclosure	19	175.00
LP-2ET12D16	LP-2ET12, w/ 2 PDM-8 (fuses) Distribution Module, 14" x 9" x 3.5" Enclosure	19	218.00
LP-2ET24D8	LP-2ET24, w/ PDM-8 (fuses) Distribution Module, 14" x 9" x 3.5" Enclosure	19	189.00
LP-2EX12	LP-2 (12VDC), w/ Open-frame ULR Transformer, 14" x 9" x 3.5" Enclosure	19	167.00
LP-2EX24	LP-2 (24VDC), w/ Open-frame ULR Transformer, 14" x 9" x 3.5" Enclosure	19	177.00
LP-2EX12D4	LP-2EX12, w/ PDM-4 (fuses) ULR Distribution Module, 14" x 9" x 3.5" Enclosure	19	196.00
LP-2EX24D4	LP-2EX24, w/ PDM-4 (fuses) ULR Distribution Module, 14" x 9" x 3.5" Enclosure	19	207.00
LP-2EX12D8	LP-2EX12, w/ PDM-8 (fuses) ULR Distribution Module, 14" x 9" x 3.5" Enclosure	19	205.00
LP-2EX24D8	LP-2EX24, w/ PDM-8 (fuses) ULR Distribution Module, 14" x 9" x 3.5" Enclosure	19	215.00
LP-4EX12	2 LP-2s (12VDC), w/ Open-frame ULR Transformer, 14" x 9" x 3.5" Enclosure	19	224.00
LP-4EX24	2 LP-2s (24VDC), w/ Open-frame ULR Transformer, 14" x 9" x 3.5" Enclosure	19	234.00
LP-4EX12D8	LP-4EX12, w/ PDM-8 (fuses) ULR Distribution Module, 14" x 9" x 3.5" Enclosure	19	261.00
LP-4EX24D8	LP-4EX24, w/ PDM-8 (fuses) ULR Distribution Module, 14" x 9" x 3.5" Enclosure	19	272.00
LP-4EX24D16	LP-4EX24, w/2 PDM-8 (fuses) ULR Distribution Module, 14" x 9" x 3.5" Enclosure	19	331.00
LPS-2	12VDC or 24VDC/2 Amp Supervised (AC & Battery) Power Supply/Battery Charger Module	19	59.00
LPS-2T12	LPS-2 (12VDC), w/ 16V 50VA UL Listed Class II Plug-in Transformer	19	82.00
LPS-2T24	LPS-2 (24VDC), w/ 24V 50VA UL Listed Class II Plug-in Transformer	19	92.00
LPS-2EST12	LPS-2, w/ 16V 50VA UL Listed Class II Plug-in Transformer, 8" x 9" x 3.5" Enclosure	19	130.00
LPS-2EST24	LPS-2, w/ 24V 50VA UL Listed Class II Plug-in Transformer, 8" x 9" x 3.5" Enclosure	19	141.00
LPS-2ET12	LPS-2, w/ 16V 50VA UL Listed Class II Plug-in Transformer, 14" x 9" x 3.5" Enclosure	19	150.00
LPS-2ET24	LPS-2, w/ 24V 50VA UL Listed Class II Plug-in Transformer, 14" x 9" x 3.5" Enclosure	19	159.00



Price Schedule

April 1, 2009

LPS-2EX12	LPS-2 (12VDC), w/ Open-frame ULTR Transformer, 14" x 9" x 3.5" Enclosure	19	177.00
LPS-2EX24	LPS-2 (24VDC), w/ Open-frame ULTR Transformer, 14" x 9" x 3.5" Enclosure	19	188.00
LPS-2EX12D4	LPS-2EX12, w/ PDM-4 (fuses) ULTR Distribution Module, 14" x 9" x 3.5" Enclosure	19	207.00
LPS-2EX24D4	LPS-2EX24, w/ PDM-4 (fuses) ULTR Distribution Module, 14" x 9" x 3.5" Enclosure	19	218.00
LPS-2EX12D8	LPS-2EX12, w/ PDM-8 (fuses) ULTR Distribution Module, 14" x 9" x 3.5" Enclosure	19	214.00
LPS-2EX24D8	LPS-2EX24, w/ PDM-8 (fuses) ULTR Distribution Module, 14" x 9" x 3.5" Enclosure	19	225.00

Linear Power Supplies - Continued		Catalog Page	List Price
LP-3-12	12vdc at 3 Amp power supply power supply with Battery Charger	21	58.00
LP-3-24	24vdc at 3 Amp power supply power supply with Battery charger	21	58.00
LP-3ESX12	LP-3-12 and 16vac 100va transformer mounted in small Enclosure	21	142.00
LP-3EX12	LP-3-12 and 16vac 100va transformer mounted in 14" x 9" Enclosure	21	177.00
LP-3EX24	LP-3-24 and 24vac 100va transformer mounted in 14" x 9" Enclosure	21	177.00
LPS-4EX12	2 LPS-2s (12VDC), w/ Open-frame ULTR Transformer, 14" x 9" x 3.5" Enclosure	19	237.00
LPS-4EX24	2 LPS-2s (24VDC), w/ Open-frame ULTR Transformer, 14" x 9" x 3.5" Enclosure	19	254.00
LPS-4EX12D8	LPS-4EX12, w/ PDM-8 (fuses) ULTR Distribution Module, 14" x 9" x 3.5" Enclosure	19	282.00
LPS-4EX24D8	LPS-4EX24, w/ PDM-8 (fuses) ULTR Distribution Module, 14" x 9" x 3.5" Enclosure	19	293.00
LP-6EXDP	LP-3-12, 16vac 100va Xformer, LP-3-24, 24vac 100va Xformer mounted in 14" x 9 Encl	21	286.00

CCTV Power Supplies - AC			
PDA-EST4	24vac/4 Amps, TX-24100, 8" x 9" x 3.5" Enclosure	23	97.00
PDA-EST8	24vac/8 Amps, TX-24175, 8" x 9" x 3.5" Enclosure	23	133.00
PDA-4EST2	24vac/2 Amps (50VA UL Class II Plug-in transformer), 4 Fused Outputs, 8" x 9" x 3.5" Enclosure	23	110.00
PDA-4EST4	24vac/4 Amps, 4 Fused Outputs, 8" x 9" x 3.5" Enclosure	23	113.00
PDA-4EST4C	24vac/4 Amps, 4 Circuit Breaker Outputs, 8" x 9" x 3.5" Enclosure	23	117.00
PDA-4 EST4IMW	24vac/4 Amps, 4 Fused Outputs, Outputs Isolated from Each Other and to Line, 8" x 9" x 3.5" Enclosure	26	159.00
PDA-4 EST4IMWC	24vac/4 Amps, 4 Circuit Breaker Outputs, Outputs Isolated from Each Other and to Line, 8" x 9" x 3.5" Enclosure	26	162.00
PDA-4EST8	24vac/8 Amps, 4 Fused Outputs, 8" x 9" x 3.5" Enclosure	23	148.00
PDA-4EST8C	24vac/8 Amps, 4 Circuit Breaker Outputs, 8" x 9" x 3.5" Enclosure	23	154.00
PDA-8EST4	24vac/4 Amps, 8 Fused Outputs, 8" x 9" x 3.5" Enclosure	23	148.00
PDA-8EST4C	24vac/4 Amps, 8 Circuit Breaker Outputs, 8" x 9" x 3.5" Enclosure	23	155.00
PDA-8EST8	24vac/8 Amps, 8 Fused Outputs, 8" x 9" x 3.5" Enclosure	23	170.00
PDA-8EST8C	24vac/8 Amps, 8 Circuit Breaker Outputs, 8" x 9" x 3.5" Enclosure	23	181.00
PDA-9EST4	24vac/4 Amps, 9 Fused Outputs, 8" x 9" x 3.5" Enclosure	23	148.00
PDA-9EST4C	24vac/4 Amps, 9 Circuit Breaker Outputs, 8" x 9" x 3.5" Enclosure	23	155.00
PDA-9EST8	24vac/8 Amps, 9 Fused Outputs, 8" x 9" x 3.5" Enclosure	23	170.00
PDA-9EST8C	24vac/8 Amps, 9 Circuit Breaker Outputs, 8" x 9" x 3.5" Enclosure	23	181.00
PDA-8ET4UL	24vac/4 Amps, 8 Fused Outputs, 14" x 9" x 3.5" Enclosure UL Listed	24	173.00
PDA-8ET4CUL	24vac/4 Amps, 8 Circuit Breaker Outputs, 14" x 9" x 3.5" Enclosure UL Listed	24	177.00
PDA-8ET8UL	24vac/8 Amps, 8 Fused Outputs, 14" x 9" x 3.5" Enclosure UL Listed	24	185.00
PDA-8ET8CUL	24vac/8 Amps, 8 Circuit Breaker Outputs, 14" x 9" x 3.5" Enclosure UL Listed	24	189.00
PDA-8ET8	24vac/8 Amps, 8 Fused Outputs, 14" x 9" x 3.5" Enclosure	24	176.00
PDA-8ET8C	24vac/8 Amps, 8 Circuit Breaker Outputs, 14" x 9" x 3.5" Enclosure	24	181.00
PDA-8ET8IMW	24vac/8 Amps, 8 Fused Outputs, Outputs Isolated from Each Other and to Line, 8" x 9" x 3.5" Enclosure	26	264.00
PDA-8 ET8IMWC	24vac/8 Amps, 8 Circuit Breaker Outputs, Outputs Isolated from Each Other and to Line, 8" x 9" x 3.5" Enclosure	26	270.00
PDA-8ET16	24vac/16 Amps, 8 Fused Outputs, 14" x 9" x 3.5" Enclosure	24	278.00
PDA-8ET16C	24vac/16 Amps, 8 Circuit Breaker Outputs, 14" x 9" x 3.5" Enclosure	24	292.00
PDA-12 ELT12IMW	24vac/12 Amps, 12 Fused Outputs, Outputs Isolated from Each Other and to Line, 14" x 14" x 4.75" Enclosure	26	352.00
PDA-12 ELT12IMWC	24vac/12 Amps, 12 Circuit Breaker Outputs, Outputs Isolated from Each Other and to Line, 14" x 14" x 4.75" Enclosure	26	376.00
PDA-16EST4	24vac/4 Amps, 16 Fused Outputs, 8" x 9" x 3.5" Enclosure	23	186.00
PDA-16ET8UL	24vac/8 Amps, 16 Fused Outputs, 14" x 9" x 3.5" Enclosure UL Listed	24	269.00
PDA-16 ET8CUL	24vac/8 Amps, 16 Circuit Breaker Outputs, 14" x 9" x 3.5" Enclosure UL Listed	24	273.00
PDA-16ET8	24vac/8 Amps, 16 Fused Outputs, 14" x 9" x 3.5" Enclosure	24	250.00
PDA-16ET8C	24vac/8 Amps, 16 Circuit Breaker Outputs, 14" x 9" x 3.5" Enclosure	24	254.00
PDA-8ELT17	24/25vac/17 Amps, 8 Fused Outputs, 14" x 14" x 4.75" Enclosure, 120/240vac.	25	379.00



Price Schedule

April 1, 2009

PDA-8ELT17C	24/25vac/17 Amps, 8 Circuit Breaker Outputs, 14" x 14" x 4.75" Enclosure, 120/240vac.	25	391.00
PDA-8ELT34	24/25vac/34 Amps, 8 Fused Outputs, 14" x 14" x 4.75" Enclosure, 120/240vac.	25	612.00
PDA-8ELT34C	24/25vac/34 Amps, 8 Circuit Breaker Outputs, 14" x 14" x 4.75" Enclosure, 120/240vac.	25	624.00
PDA-16 ELT16IMW	24vac/16 Amps, 16 Fused Outputs, Outputs Isolated from Each Other and to Line, 14" x 14" x 4.75" Enclosure	26	499.00
PDA-16 ELT16IMWC	24vac/16 Amps, 16 Circuit Breaker Outputs, Outputs Isolated from Each Other and to Line, 14" x 14" x 4.75" Enclosure	26	511.00

CCTV Power Supplies - AC - Continued		Catalog Page	List Price
PDA-16ELT17	24/25vac/17 Amps, 16 Fused Outputs, 14" x 14" x 4.75" Enclosure, 110/220vac.	25	416.00
PDA-16ELT17C	24/25vac/17 Amps, 16 Circuit Breaker Outputs, 14" x 14" x 4.75" Enclosure, 110/220vac.	25	439.00
PDA-16ELT34	24/25vac/34 Amps, 16 Fused Outputs, 14" x 14" x 4.75" Enclosure, 110/220vac.	25	649.00
PDA-16ELT34C	24/25vac/34 Amps, 16 Circ Breaker Outputs, 14" x 14" x 4.75" Enclosure, 110/220vac	25	672.00
PDA-18ET4	24vac/4 Amps, 18 Fused Outputs, 14" x 9" x 3.5" Enclosure 110vac		218.20
PDA-24ET4	24vac/4 Amps, 24 Fused Outputs, 14" x 9" x 3.5" Enclosure 110vac		256.18
PDA-32ELT17	24/25vac/17 Amps, 32 Fused Outputs, 14" x 14" x 4.75" Enclosure, 110/220vac.	25	486.00
PDA-32 ELT17C	24/25vac/17 Amps, 32 Circ Breaker Outputs, 14" x 14" x 4.75" Enclosure, 110/220vac.	25	532.00
PDA-32ELT25	24/25vac/25 Amps, 32 Fused Outputs, 14" x 14" x 4.75" Enclosure, 110/220vac.	25	575.00
PDA-32 ELT25C	24/25vac/25 Amps, 32 Circ Breaker Outputs, 14" x 14" x 4.75" Enclosure, 110/220vac.	25	626.00
PDA-32ELT34	24/25vac/34 Amps, 32 Fused Outputs, 14" x 14" x 4.75" Enclosure, 110/220vac.	25	723.00
PDA-32 ELT34C	24/25vac/33 Amps, 32 Circ Breaker Outputs, 14" x 14" x 4.75" Enclosure, 110/220vac.	25	770.00
PDA-48ELT25	24/25vac/25 Amps, 48 Fused Outputs, 14" x 14" x 4.75" Enclosure, 110/220vac.	25	666.00
PDA-64ELT34	24/25vac/34 Amps, 64 Fused Outputs, 14" x 14" x 4.75" Enclosure, 110/220vac.	25	908.00
RMA-8/4	Rack Mounted, 24vac/4 Amps, 8 Fused Outputs, 19" x 13" x 3.5" Rack Mount, Black	27	521.00
RMA-8/8	Rack Mounted, 24vac/8 Amps, 8 Fused Outputs, 19" x 13" x 3.5" Rack Mount, Black	27	545.00
RMA-8/16	Rack Mounted, 24vac/16 Amps, 8 Fused Outputs, 19" x 13" x 3.5" Rack Mount, Black	27	604.00
RMA-8/32	Rack Mounted, 24vac/32 Amps, 8 Fused Outputs, 19" x 13" x 3.5" Rack Mount, Black	27	774.00
RMA-16/4	Rack Mounted, 24vac/4 Amps, 16 Fused Outputs, 19" x 13" x 3.5" Rack Mount, Black	27	681.00
RMA-16/8	Rack Mounted, 24vac/8 Amps, 16 Fused Outputs, 19" x 13" x 3.5" Rack Mount, Black	27	738.00
RMA-16/16	Rack Mounted, 24vac/16 Amps, 16 Fused Outputs, 19" x 13" x 3.5" Rack Mount, Black	27	807.00
RMA-16/32	Rack Mounted, 24vac/32 Amps, 16 Fused Outputs, 19" x 13" x 3.5" Rack Mount, Black	27	951.00

CCTV / Universal Power Supplies - DC			
LP-2ET12D4	LP-2ET12, w/ PDM-4 (fuses) Distribution Module, 14" x 9" x 3.5" Enclosure	19	156.00
SP-3V	12VDC, 3Amp Power Supply Module	1	108.00
SP-3VES	12VDC, 3Amps, 8" x 9" x 3.5" Enclosure, Class II	1	156.00
SP-33VES	Dual Power, 12VDC @ 3A, 24VDC @ 1.5A, 8" x 9" x 3.5" Enclosure, Class II	1	265.00
SP-3VES4	12VDC, 3Amps, 4 Fused Outputs, 8" x 9" x 3.5" Enclosure, Class II	1	187.00
SP-3VES4C	12VDC, 3Amps, 4 Circuit Breaker Outputs, 8" x 9" x 3.5" Enclosure, Class II	1	191.00
SP-3VES8	12VDC, 3Amps, 8 Fused Outputs, 8" x 9" x 3.5" Enclosure, Class II	1	195.00
SP-3VES8C	12VDC, 3Amps, 8 Circuit Breaker Outputs, 8" x 9" x 3.5" Enclosure, Class II	1	208.00
SP-3VES9	12VDC, 3Amps, 9 Fused Outputs, 8" x 9" x 3.5" Enclosure, Class II	1	195.00
SP-3VES9C	12VDC, 3Amps, 9 Circuit Breaker Outputs, 8" x 9" x 3.5" Enclosure, Class II	1	208.00
SP-6ED4	SP-6E, w/ PDM-4 (fuses) ULN Distribution Module, 14" x 9" x 3.5" Enclosure	3	246.00
SP-6ED8	SP-6E, w/ PDM-8 (fuses) ULN Distribution Module, 14" x 9" x 3.5" Enclosure	3	250.00
SP-6ED16	SP-6E, w/ 2 PDM-8s (fuses) ULN Distribution Module, 14" x 9" x 3.5" Enclosure	3	287.00
SPS-20EL4812V	12VDC, 20Amps, 48 Fused Outputs, 14" x 14" x 4.75" Enclosure	5	700.00
PDD-4EST3	5-18VDC, 4 Outputs each Adjustable, 3 Amps, 8" x 9" x 3.5" Enclosure		168.00
PDD-4EST3IMW	5-26VDC, 4 Isolated Outputs each Adjustable, 3 Amps, 8" x 9" x 3.5" Enclosure	26	237.00
PDD-8ET6IMW	5-26VDC, 8 Isolated Outputs each adjustable, 6 Amps, 14" x 9" x 3.5" Enclosure	26	336.00
PDD-16 ELT12IMW	5-26VDC, 16 Isolated Outputs each adjustable, 12 Amps, 14" x 14" x 4.75" Enclosure	26	646.00
PAD-8ET7IMW	AC DC 8 Outputs - 4 @ 24VAC and 4 @ 5-26VDC adjustable, all Outputs Isolated, 7 Amps total in a 14" x 9" x 3.5" enclosure	26	352.00
RMD-8524	SPS-5, 24VDC/5 Amps, 8 Fused Outputs, 19"x13"x3.5" Rack Mount	27	709.00
RMD-81012	SPS-10, 12VDC/10 Amps, 8 Fused Outputs, 19"x13"x3.5" Rack Mount	27	709.00
RMD-81012F	SPS-10 w/ Cooling Fan, 12VDC/10 Amps, 8 Fused Outputs, 19"x13"x3.5" Rack Mount	27	740.00
RMD-81024	SPS-20, 24VDC/10 Amps, 8 Fused Outputs, 19"x13"x3.5" Rack Mount	27	846.00
RMD-82012	SPS-20, 12VDC/20 Amps, 8 Fused Outputs, 19"x13"x3.5" Rack Mount	27	846.00
RMD-16524	SPS-5, 24VDC/5 Amps, 16 Fused Outputs, 19"x13"x3.5" Rack Mount	27	876.00
RMD-161012	SPS-10, 12VDC/10 Amps, 16 Fused Outputs, 19"x13"x3.5" Rack Mount	27	876.00
RMD-161012F	SPS-10 w/ Cooling Fan, 12VDC/10 Amp, 16 Fused Outputs, 19"x13"x3.5" Rack Mount	27	907.00



Price Schedule

April 1, 2009

RMD-162012	SPS-20, 12VDC/20 Amps, 16 Fused Outputs, 19"x13"x3.5" Rack Mount	27	1014.00
RMD-162012F	SPS-10s (2) with Cooling Fan, 12VDC/20 Amps, 16 Fused Outputs, 19"x13"x3.5" Rack Mount	27	1046.00
RMD-161024	SPS-20, 24VDC/10 Amps, 16 Fused Outputs, 19"x13"x3.5" Rack Mount	27	1014.00
RMD-161024F	SPS-10s (2) with Cooling Fan, 24VDC/10 Amps, 16 Fused Outputs, 19"x13"x3.5" Rack Mount	27	1046.00
Outdoor Security Power Supplies		Catalog Page	List Price
ETW-4	Weather Resistant, 24vac/4 Amps, 6" x 6" NEMA-4 enclosure	29	218.00
ETW-44	Weather Resistant, 24vac/4 Amps, 4 Fused Outputs, 6" x 6" NEMA-4 enclosure	29	252.00
ETW-44C	Weather Resistant, 24vac/4 Amps, 4 Circuit Breaker Outputs, 6" x 6" NEMA-4 enclosure	29	256.00
ETW-44IMW	Weather Resistant, 24vac/4 Amps, 4 Isolated Fused Outputs, 6" x 6" NEMA-4 enclosure	29	320.00
ETW-44IMWC	Weather Resistant, 24vac/4 Amps, 4 Isolated CB Outputs, 6" x 6" NEMA-4 enclosure	29	324.00
SP-3VEWP	Weather Resistant, 90-250vac Input 11-14/22-27VDC @3/1.5A Adjustable Output, 6" x 6" x 4" NEMA-	29	240.00
SP-3EWP	Weather Resistant, 90-250vac Input12/24VDC @ 3/1.5A Output, 6" x 6" NEMA-4 enclosure	29	252.00
SPS-3EWP	Weather Resistant, 90-250vac Input12/24VDC @ 3/1.5A Supervised Output, 6" x 6" NEMA-4 enclosure	29	261.00
SPS-6.5M4FEWP	90 - 250 vac Input, 12VDC@6A Supervised Battery Charger, 4 CB Outputs w/ Smart Fan, 10" x 8" x 6" NEMA-4 enclosure	29	558.00
SPS-3.3M4FEWP	90 - 250 vac Input, 24VDC@3A Supervised Battery Charger, 4 CB Outputs w/ Smart Fan, 10" x 8" x 6" NEMA-4 enclosure	29	558.00
SPS-6.5F8EWP	90 - 250 vac Input, 12VDC@6A Supervised Battery Charger, 8 Fused Outputs w/ Smart Fan, 10" x 8" x 6" NEMA-4 enclosure	29	578.00
SPS-10FEWP	90 - 250 vac Input, 12VDC@8A Supervised Battery Charger, 1 Output w/ Smart Fan, 10" x 8" x 6" NEMA-4 enclosure	29	498.00
SPS-5FEWP	90 - 250 vac Input, 24VDC@4A Supervised Battery Charger, 1 Output w/ Smart Fan, 10" x 8" x 6" NEMA-4 enclosure	29	498.00
SPS-12F-277EWP	110 - 280 vac Input, 12VDC@10A Supervised Battery Charger, 1 Output w/ Smart Fan, 10" x 8" x 6" NEMA-4 enclosure	29	538.00
SPS-6F-277EWP	109 - 280 vac Input, 24VDC@5A Supervised Battery Charger, 1 Output w/ Smart Fan, 10" x 8" x 6" NEMA-4 enclosure	29	538.00
SPS-12FX2-277EWP-14126	110 - 280 vac Input, 12Vdc, 24A/24Vdc,12A Supervised Battery Charger, 2 SPS-12F-277'S w/ Smart Fans, 14" x 12" x 6" NEMA-4 polycarbonate enclosure	29	982.00

Distribution Modules			
PDM-4-FFF	4 Fused Outputs, Main Power Switch, LED on each output, UL294 & UL603 Listed	35	29.00
PDM-4C-CCC	4 PTC Circuit Breaker Outputs, Main Power Switch, LED on each output UL294 & UL603 Listed	35	34.00
PDM-8- MMM-FFF	8 Fused Outputs, Main Fuse/Power Pull, LED on each output, UL294 & UL603 Listed	35	38.00
PDM-8C- MMM-CCC	8 PTC Circuit Breaker Outputs, Main Fuse/Power Pull, LED on each output, UL294 & UL603 Listed	35	49.00
PDM-9- MMM-FFF	9 Fused Outputs, Main Fuse/Power Pull, LED on each output	35	38.00
PDM-9C- MMM-CCC	9 PTC Circuit Breaker Outputs, Main Fuse/Power Pull, LED on each output	35	49.00
FFF Fuse Options	FFF = Fuse Rating in Amps (x.xx) 3agc Size: (050 = 500ma); (100 = 1A); (200 = 2A); (300 = 3A); (400 = 4A); (500 = 5A)		
CCC Circuit Breaker Options	CCC = PTC part number equaling the holding current in Amps at UL rating 50°C:(090 = .7A); (135 = 1.04A); (160 = 1.23A); (185 = 1.42A); (250 = 1.93A); (400 = 3.08A); (500 = 3.85A); (600 = 4.62A)		
MMM Main Fuse Options	MMM = Main Fuse Rating in Amps (xx.x) Standard Automotive ATO Size: (050 = 5A); (075 = 7.5A); (100 = 10A); (150 = 15A); (200 = 20A); (250 = 25A)		

Voltage Converters			
DCPM-1	DC Power Supply Module -- Converts 24vac or 24vdc to 6-26vdc Adjustable 1Amp	37	37.00
DCPM-1-5V	DC Power Supply Module -- Converts 24vac or 24VDC to 5VDC/1Amp	37	37.00
DCPM-15	5 DCPM-1 Modules on 1 Break Apart Board	37	167.00
DCPM-15-5V	5 DCPM-1-5V Modules on 1 Break Apart Board	37	167.00
DCPM-3-A	DC Power supply Module - Converts 24vac or 24vdc to 5-28vdc Adjustable 3 Amp	21	46.00
DC-12XX40	DC to DC Boost Converter, 40 Watts, 12VDC Input	36	52.00



Distribution/Control Boards with Fire Interface		Catalog Page	List Price
PDD-8ACI	8 Individually Controlled, Isolated, Fused Relay Outputs w/ Master Fire Trigger Interface, UL Listed	31	194.00
PDD-8ACIC	8 Individually Controlled, Isolated, Circuit Breaker Relay Outputs w/ Master Fire Trigger Interface, UL Listed	31	194.00
PDD-8PCI	8 Outputs w/ Supervised Access Control and Fire Interface, Outputs are Class II, DC Input 12-24	33	107.00
PDD-FT	DC Fire Transfer Relay with EOL Trigger, UL Listed	34	44.00

Transformers			
TX-1650	16vac/50VA Class 2 UL Listed Plug in Transformer, 120vac input	46	22.00
TX-1656	16vac/56VA ULR Open Frame Transformer, 120vac input, Optional 240vac	46	48.00
TX-16100	16vac/100VA (6.25A) ULR Open Frame Transformer, 120vac input, Optional 240vac	46	48.00
TX-2450	24vac/50VA Class 2 UL Listed Plug in Transformer, 120vac input	46	35.00
TX-24100	24vac/100VA (4 Amp) ULR Open Frame Transformer, Optional 240vac	46	48.00
TX-24175	24vac/175VA (8 Amp) ULR Open Frame Transformer, Optional 240vac	46	85.00
TX-24400	24/26vac/400VA (17 Amp) ULR Open Frame with terminal block, 120 or 240vac	46	233.00

Relays			
RT-1	12/24VDC SPDT Relay, Low Current Trigger, 15 Amp Form C Contacts, coil protection	39	17.00
RT-14	4 RT-1's on a Break Apart Board.	39	57.00
RT-1HD	12/24VDC SPDT High Current Relay, 40 Amp Form C Contacts, coil protection	40	22.00
RT-14HD	4 RT-1HD's on a Break Apart Board.	40	82.00
RT-2	12-24VDC DPDT Relay, Sensitive Coil, two Form C 5Amp Contacts, coil protection	41	17.00
RT-24	4 RT-2's on a Break Apart Board.	41	57.00

Timers			
T-619	12-28VDC Universal Timer, 0-60 Seconds/0-60 Minutes	43	37.00
TP-619	T-619 w/ a One Shot Module to provide short pulse to trigger	43	41.00

Enclosures			
E-1485	Metal Enclosure, 14" x 9" x 3.5", White, Blue Screen Front, many knock outs, UL Listed		80.00
E-89	Metal Enclosure, 8" x 9" x 3.5", White, no screen, many knock outs, UL Listed		65.00
E-1414	Metal Enclosure, 14" x 14" x 4.75", White, Blue Screen Front, many knock outs		120.00
CAMLOCK	Cam Lock Option w2 keys for "E" Enclosures		10.00
E-WP664	Weather Proof Metal Enclosure, NEMA 4 Rated, 6" x 6" x 4"		132.00
E-WP100806	Weather Proof Metal or Polycarbonate NEMA 4 Rated, 10"x8"x6"		215.00
E-WP141206	Weather Proof Polycarbonate Enclosure, NEMA 4 Rated, 14" x 12" x 6"		286.00
E-RT10106	Metal Enclosure, 10"x 10"x 6", NEMA 3R Rated, Rain Tight		240.00
E-RT18186	Metal Enclosure, 18"x 18"x 6", NEMA 3R Rated, Rain Tight		332.00
E-RT242410	Metal Enclosure, 24"x 24"x 10", NEMA 3R Rated, Rain Tight		596.00
E-RT242412	Metal Enclosure, 24"x 24"x 12", NEMA 3R Rated, Rain Tight		664.00
E-RT864	Metal Enclosure, 6"x 8"x 4", NEMA 3R Rated, Rain Tight		79.00
PS-1485	UL Listed Metal Enclosure, 14" x 9" x 3.5", White with Tamper Switch and Status LED		89.00
	We can offer nearly all of our power supplies with or without room for standby batteries from small to large with any of these outdoor enclosures. Call for a solution to your requirements.		

Accessories			
CAMLOCK	Cam Lock for Metal Enclosures, 2 Keys		10.00
HA- MOUNTKIT	8 each 1/4" screws and 4 each aluminum standoffs for mounting ESD modules		3.00
PW-1	Power Watch Module, Battery charge Hi/Low – AC fail – Battery Cutoff Supervision	42	45.00
SN-1	Spike and Noise Protector, 1500W Bi-directional Transient Voltage Suppressor, Snubber, Noise Filter	45	6.00
LE-24VAC	Line Extender up to 1,000 feet, 24VAC, 80VA		220.00
HA-LC3ZIP	Line Cord, 3' length, 3 conductor, 3 prong grounding AC plug		5.00
HA-LCST1	Line Cord, 6' length, 2 conductor "zip" w/ 2 prong AC plug		5.00

Accessories - Continued		Catalog Page	List Price
ADD-BAT	24" Wire Assembly to add batteries in parallel		6.00



Price Schedule

April 1, 2009

24-SW	12" wire assembly to connect 2 batteries in series (Supplied with most 24VDC modules)		4.00
SF-12V	Smart Fan Module, 12VDC, for use with SPS-10		34.00
SF-24V	Smart Fan Module, 24VDC, for use with SPS-5		34.00
WA-12IBAT	12" Battery Connector cable assy, snap in terminal to connect to power supplies		3.00
WA-15IBAT	15" Battery Connector cable assy, snap in terminal to connect to power supplies		3.00
WA-24IBAT	24" Battery Connector cable assy, snap in terminal to connect to power supplies		4.00
WA-36IBAT	36" Battery Connector cable assy, snap in terminal to connect to power supplies		5.00
WA-60IBAT	60" Battery Connector cable assy, snap in terminal to connect to power supplies		6.00
WA-72IBAT	72" Battery Connector cable assy, snap in terminal to connect to power supplies		7.00
EOL-1K	Dual Function End of Line Resistor Pac		10.00

Application Notes

INFORMATION	Application Note - Powering Proximity Readers with ESD Switching Power Supplies	46
INFORMATION	Application Note - Selecting a Stand-by Battery	47
INFORMATION	Application Note - Powering Proximity Readers with ESD Switching Power Supplies	48
INFORMATION	Application Note - Wire Length Calculator 12 Volts	50
INFORMATION	Application Note - Wire Length Calculator 24 Volts	51
INFORMATION	Application Note - AC Line Extender	52
INFORMATION	Application Note - VAC Transformer Output	54